



Q27V5N/BK

27 inch (68.6 cm) LCD MONITOR

27" VA QHD panel for productivity, comfort, and exceptional viewing experience

General

| | |
|---------------------|---------------------------|
| Model name | Q27V5N/BK |
| EAN | 4038986180412 |
| Product Line | Value-line |
| Series | V5 |
| Channel | B2C |
| Classification | Mainstream |
| Section | Consumer |
| Launch date | 2022-09-01T10:49:17+00:00 |
| Continent | Europe |
| Product status (EU) | Launch |

Screen

| | |
|-----------------------------------|--|
| Resolution | 2560x1440 |
| Refresh rate | 75Hz |
| Screen size (inch) | 27 inch |
| Screen size (cm) | 68.6 cm |
| Flat / Curved | Flat |
| Backlight | WLED |
| Panel Type | VA |
| Aspect ratio | 16:9 |
| Panel Colour in Bits | 8 |
| sRGB Coverage (%) (CIE 1931) | 118 |
| Adobe RGB Coverage (%) (CIE 1931) | 88 |
| NTSC coverage (%) (CIE 1931) | 84 % |
| Pixel Pitch | 0.2331 |
| Pixels per Inch | 108.8 |
| Response time (GtG) | 4 ms |
| Contrast (static) | 4000:1 |
| Contrast (dynamic) | 20M:1 |
| Brightness (typical) | 300 cd/m ² |
| Viewing angle (CR10) | 178/178 ° |
| Hard Glass | Antiglare + 3H |
| OSD languages | EN, FR, ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S), JP |

| Exterior | |
|-------------------------|-------------------|
| Monitor colour | Black |
| Bezel Type | 3-sided frameless |
| Removable Stand | ✓ |
| Metal Stand | ✓ |
| Cable Management System | ✓ |

| Ergonomics | |
|----------------------|----------------------------|
| Vesa Wallmount | 100x100 |
| Tilt | 3.5° ±1.5° ~ 21.5° ±1.5° ° |
| Swivel | 28° ±2° ~28° ±2° ° |
| Pivot | ✓ |
| Height Adjust Amount | 130mm |

| Connectivity and Multimedia | |
|-----------------------------|-----------------------------------|
| Signal Input | HDMI 1.4 x 2, DisplayPort 1.2 x 2 |

| Multimedia | |
|-------------------|-----------------------|
| Built-in Speakers | 3 W x 2 |
| Audio output | Headphone out (3,5mm) |

| Features | |
|-----------------------|----------------|
| Sync Technology | AdaptiveSync |
| Flicker-free | ✓ |
| Blue Light Technology | Low blue light |
| Kensington Lock | ✓ |

| Power / Environmental | |
|---|--------------------|
| Powersupply | Internal |
| Powersource | 100 - 240V 50/60Hz |
| Power Consumption On (Energystar test method) | 30 watt |
| Power Consumption On | 30 |
| Power Consumption Standby | 0.5 watt |
| Power Consumption Off | 0.3 watt |

| Approbations / Regulations | |
|----------------------------|---|
| CE | ✓ |
| EAC | ✓ |
| ISO 9241-307 class I | ✓ |

| Warranty | |
|-----------------|---------|
| Warranty Period | 3 Years |

Dimensions / Weights

| | |
|---|---------------------------------|
| Product dimensions incl base (WxHxD) mm | 613.0 × (386.6.0~516.6) × 200.0 |
| Product dimensions excl base (WxHxD) mm | 613.0 x 363.4 x 44.6 |
| Packaging Dimensions (WxHxD) mm | 840 x 456 x 141 mm |
| Gross Weight (including package) | 8.53 Kg |
| Net Weight (excluding package) | 6.08 Kg |

What's in the Box?

| | |
|----------------|-------|
| HDMI cable | 1,5 m |
| Power Cable C5 | 1,5 m |